


**FIG. 1**


**FIG.2**

FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8






FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17





FIG. 18



**FIG. 19**








FIG. 20



**FIG. 21**



[illegible]

FIG. 23




FIG. 24




FIG. 25




FIG. 26

23 / 50

OBLON, SPIVAK, ET AL  
DOCKET #: 209560US-2-DIV  
INV: Hiroshi TAKAHASHI  
SHEET 23 OF 50




FIG. 27







FIG. 28



0956911, 0921011  
202607169560

FIG. 29




FIG. 30





FIG. 31




**FIG.32**

FIG. 33




FIG. 34




Figure 1 consists of 12 bar charts, labeled (a) through (l), arranged in a 6x2 grid. Each chart displays the percentage of the total sample for four categories: 'No diagnosis', 'Diagnosis made', 'Diagnosis not made', and 'Diagnosis not made (no sample)'. The y-axis for all charts is 'Percentage of total sample' ranging from 0 to 100. The x-axis for all charts is 'Diagnosis' with categories: 'No diagnosis', 'Diagnosis made', 'Diagnosis not made', and 'Diagnosis not made (no sample)'. The data for each chart is as follows:

Chart Label	No diagnosis	Diagnosis made	Diagnosis not made	Diagnosis not made (no sample)
(a)	100	0	0	0
(b)	100	0	0	0
(c)	100	0	0	0
(d)	100	0	0	0
(e)	100	0	0	0
(f)	100	0	0	0
(g)	100	0	0	0
(h)	100	0	0	0
(i)	100	0	0	0
(j)	100	0	0	0
(k)	100	0	0	0
(l)	100	0	0	0




Figure 1 consists of 12 bar charts, labeled (a) through (l), arranged in a 6x2 grid. Each chart displays the percentage of the total sample for four categories: 'No diagnosis', 'Diagnosis made', 'Diagnosis not made', and 'Diagnosis not made (no sample)'. The y-axis for all charts is 'Percentage of total sample' ranging from 0 to 100. The x-axis for all charts is 'Diagnosis' with categories: 'No diagnosis', 'Diagnosis made', 'Diagnosis not made', and 'Diagnosis not made (no sample)'. The data for each chart is as follows:

Chart Label	No diagnosis	Diagnosis made	Diagnosis not made	Diagnosis not made (no sample)
(a)	100	0	0	0
(b)	100	0	0	0
(c)	100	0	0	0
(d)	100	0	0	0
(e)	100	0	0	0
(f)	100	0	0	0
(g)	100	0	0	0
(h)	100	0	0	0
(i)	100	0	0	0
(j)	100	0	0	0
(k)	100	0	0	0
(l)	100	0	0	0





FIG. 37



095601-0910  
TOT 260 11695660



FIG. 38A















FIG. 38B




*FIG. 39A**FIG. 39B**FIG. 40*


**FIG. 41****FIG. 42A****FIG. 42B****FIG. 42C****FIG. 43A****FIG. 43B****FIG. 43C**

099560US-2-DIV  
 092101

**FIG.44**



209560US-2-DIV

**FIG.45**

209560US-2-DIV

FIG. 46





FIG.47



**FIG. 48A**

Bound Mono				100%
Right	P.	15 - 48	P.	24

**FIG. 48B**

Bound Mono				100%
	P.	1 - 40		

**FIG. 48C**

Sheet		100%
-------	--	------

**FIG. 48D**

Memory range for expansion over

0956410910  
T07260 T695660



FIG. 49




FIG. 50




FIG. 51




FIG. 52








Image memory range




**FIG.53****FIG.54**

**FIG.55**



**FIG.56**



169560US-2-DIV





**FIG.57****FIG.58****FIG.59**

FIG. 60



095604 169560

FIG. 61




FIG. 62







FIG. 63



0956010910  
T01260 T169560

**FIG.64**